

sanofi

#### **Contents**

Managing your diabetes	3
Measuring your blood glucose level	3
Additional measurement of blood glucose control – HbA <sub>1c</sub>	5
Things to remember	5
Contact details	6
Treatment information	7
Example table	8
Your record	10
Check-up records	56

The information in this diary is not intended to replace the advice of your diabetes nurse or doctor.



#### Managing your diabetes

You may find this diary useful for monitoring your daily blood glucose level, making the right adjustments to your insulin doses and keeping a record of any appointments with your diabetes nurse or doctor.

# Measuring your blood glucose level

Your diabetes nurse or doctor will teach you how to measure your blood glucose level. A level of 4-7mmol/L (millimoles of glucose per litre of blood) before meals shows good blood glucose control. If your results are too high (more than 10mmol/L) or too low (less than 4mmol/L) on a regular basis, your diabetes nurse or doctor will help to review your tablet or insulin doses.





# Additional measurement of blood glucose control HbA<sub>1c</sub>

An indication of how good your blood glucose control has been for the preceding 2 to 3 months can be obtained by measuring something called glycosylated haemoglobin. This is often referred to as  $HbA_{1c}$ . Your diabetes nurse or doctor will measure your  $HbA_{1c}$  at your regular check-ups by testing a sample of your blood.

#### Things to remember

- Good blood glucose control can help reduce the risk of developing medical problems
- Test your blood glucose level at least \_\_\_\_\_
  times a day
- Test at different times on different days, e.g., before meals or before bed
- Always wash your hands before testing to help make sure the result is accurate
- If you feel unwell, test more often

## Contact details

Your name:
Address:
Telephone no. (daytime):
Telephone no. (evening):
Emergency contact
Name:
Relationship to you:
Address:
Telephone no. (daytime):
Telephone no. (evening):
Hospital doctor
Name:
Contact no.:
Diabetes nurse specialist
Name:
Contact no.:
Dietician
Name:
Contact no.:
GP/Practice nurse
Name:
Contact no ·

### Treatment information

nsulin type (breakfast):	
nsulin type (lunch):	
nsulin type (evening meal):	
nsulin type (bedtime):	
Diabetes tablets:	
Dose:	
Diabetes tablets:	
Dose:	
Other medication:	
Dose:	
Other medication:	
Dose:	
Other medication:	
Dose:	
Other medication:	
Dose:	
Treatment targets	
Blood glucose level:	before meals
Blood glucose level:	2 hours after
	meals
HbA <sub>1c</sub> level:	
Blood pressure:	
Weight:	
Cholesterol/lipids:	
Other:	

#### Example table

Discuss with your diabetes nurse or doctor suitable times for you to test your blood glucose level. Testing and recording your blood glucose helps you monitor your diabetes and recognise when you need to adjust your diet, exercise level or medication.

The special events/comments box can be used to note things such as illness, hypos, missed meals, parties or exercise.



before breakfast      2 hours after breakfast      before lunch      2 hours after lunch        1/6/13      8      7        2/6/13      6      6	er dinner after ch dinner	ter	before bed	during the night	breakfast	lunch	dinner	bedtime	
2/6/13 6 6	6	6			10	12	14	46	hypo during the night
	4		7		10	12	14	46	
3/6/13 5 6				2	10	12	14	46	



Date		ı	Blood g	lucose l	evel (m			Insulir	dose		Special events/comments		
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m				Special events/ comments				
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	imol/L)					Special events/comments		
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		ı	Blood g	lucose l	evel (m			Insulir	dose		Special events/comments		
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	imol/L)					Special events/comments		
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m				Special events/ comments				
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		ı	Blood g	lucose l	evel (m			Insulir	dose		Special events/comments		
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m				Special events/ comments				
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	mol/L)				Insulir	n dose		Special events/comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	mol/L)				Insulir	dose		Special events/comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		ı	Blood g	lucose l	evel (m	mol/L)				Insulir	dose		Special events/comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	mol/L)				Insulir	n dose		Special events/ comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	mol/L)				Insulir	n dose		Special events/comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	mol/L)				Insulir	n dose		Special events/ comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	mol/L)				Insulir	n dose		Special events/ comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	mol/L)				Insulir	n dose		Special events/ comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	mol/L)				Insulir	n dose		Special events/comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	imol/L)				Insulir	dose		Special events/comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	imol/L)				Insulir	dose		Special events/comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		E	Blood g	lucose l	evel (m	imol/L)				Insulir	dose		Special events/comments
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		Blood glucose level (mmol/L)								Insulin dose			
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	



Date		Blood glucose level (mmol/L)									Insulin dose			
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime		



Date		Blood glucose level (mmol/L)								Insulin dose			
	before breakfast	2 hours after breakfast	before lunch	2 hours after lunch	before dinner	2 hours after dinner	before bed	during the night	breakfast	lunch	evening meal	bedtime	

# Check-up records



Date				
HbA <sub>1c</sub>				
Blood pressure				
Cholesterol/ lipids				
Weight				
Waist circumference				
Changes made to treatment				
Next appointment				
Date				
HbA <sub>1c</sub>				
Blood pressure				
Cholesterol/ lipids				
Weight				
Waist circumference				
Changes made to treatment				
Next appointment				

# Check-up records



Date				
HbA <sub>1c</sub>				
Blood pressure				
Cholesterol/ lipids				
Weight				
Waist circumference				
Changes made to treatment				
Next appointment				
Date				
HbA <sub>1c</sub>				
Blood pressure				
Cholesterol/ lipids				
Weight				
Waist circumference				
Changes made to treatment				
Next appointment				

# Some more contacts you might find useful:

#### **Diabetes UK:**

www.diabetes.org.uk Tel: 0345 123 2399

#### **Driving with diabetes**

**DVLA** 

www.gov.uk/diabetes-driving

Tel: 0300 790 6806

#### Healthy living

NHS support in giving up smoking www.smokefree.nhs.uk

Tel: 0300 123 1044

#### Reporting of side effects:

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in the package leaflet. You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard.

By reporting side effects, you can help provide more information on the safety of this medicine.

#### Sanofi Medical Information

08000 35 25 25

Sanofi, 410 Thames Valley Park Drive, Reading, Berkshire, RG6 1PT

MAT-XU-2200808(v1.0) Date of preparation: August 2022

sanofi